

Owl Talon One™

DIN-Rail Data Diode

Secure, Flexible, Easy One-Way Transfers

Key Features

- → Secure, hardware-enforced, one-way data transfers
- → Transfer multiple, simultaneous data types & protocols on a single device
- → Easy-to-use, web-based user interface
- → Long-lasting, set-and-forget reliability
- → Compact DIN-rail compatible hardware form factor
- → Up to 1 Gbps max throughput
- → Advanced security features including SELinux enforcement, STIG-compliant OS, BIOS password, and disk encryption
- → NSA-Evaluated Radium PCIe Protocol Filtering Diode (PFD)

Supported Protocols

- \rightarrow TCP
- → UDP (unicast, multicast, broadcast)
- $\rightarrow NTP$
- → Syslog
- → SMTP (email)
- → SNMP Traps
- → File Transfer
- → OPC DA/A&E
- → AVEVA PI Transfer
- → Remote Screen View

Supported Platforms

→ OnLogic HX600


Owl Talon: The Data Diode, Reinvented.

Building on a quarter century of one-way networking expertise and customer feedback, Owl Talon™ is the latest, revolutionized iteration of Owl's award-winning industrial strength platform with enhanced hardware enforced separation using the Owl Talon One Radium PFD, designed for fast and easy configuration, unmatched interoperability, and secure, reliable operation.

Owl Talon One: DIN-Rail

The **Owl Talon One: DIN-Rail Data Diode** is a highly integrated, all-in-one, DIN-Rail mountable appliance that leverages the OnLogic® HX600 hardware platform, Owl Talon software platform, and Owl Talon One™ data diode card to provide secure, high speed one-way data transfers at up to 1 Gbps.

The Owl Talon One: DIN-Rail supports all current protocols and data types in Owl Talon software, which is offered in three convenient tiers, allowing you to choose the option that best fits your organization's needs. To save you additional time and SWaP, it can support multiple, simultaneous data flows and protocols on one device. With an extensible foundation to support a variety of OT and IT protocols and applications, the Owl Talon One: DIN-Rail enables a broad range of one-way data transfer use cases.



A large, U.S. based aerospace contractor needed to save SWaP and securely transfer documents, diagrams, and images, associated with different on-going projects and programs, to third party partners. Their solution included an Owl Talon One: DIN-Rail to transfer files from the protected facility to the third parties while preventing access into their facility. The Owl Talon One: DIN-Rail transfers different files types, of different sizes, to multiple third party locations simultaneously.

Unmatched Ease of Use

Featuring a modern, web-based user interface, the Owl Talon software platform is extremely easy to use. In just minutes, you can configure your data flows from source to destination, getting you up and running faster than ever before.



Talon 3 User Interface



Owl Talon One™ Data Diode Card

The Owl Talon One (OTO) data diode card is a protocol filtering data diode designed on a single PCIe card that transfers data one-way at up to 1 Gbps. By leveraging an FPGA-based architecture and System-on-Module (SOM) with an embedded processor, this single card can perform the work typically done by separate send and receive data diode cards with the same security level and hardware-enforced separation.

Technical Specifications

Case

Fanless compact aluminum industrial PC

Processor

1 x Intel Core i3-10100TE

Memory (RAM)

1 x 8GB DDR5 UDIMM

Primary Storage

1 x 128GB SATA SSD

Power Supply

1 x 220W Power Supply w/ 4-pin Connector, US Power Cord Input: 100~240 VAC Estimated Normal operating usage: 120 Watts

Mounting

DIN Rail Mounting Kit

Interfaces

Front:

4 USB A (USB3.2 Gen 2)

1 Power Button

1 Sim Card

1 Audio Jack: Line-out,

Mic-In

Rear:

2 USB (USB3.2 Gen 2) 2 USB (3.2 Gen 2) 2 Gb LAN Ports

3 Display Ports

112 \sim 24 V, 4-Pin DC Jack

OTO Data Diode Card:

2 RJ45 (1GbE)

Dimensions

Chassis Size:

303 x 65 x 210 mm / 11.93" x 2.56" x 8.27"

Unit Weight:

4.35 kg / 9.59 lbs.

Operating Conditions

0 – 50°C, 90% Operating maximum humidity (non condensing)

Approvals/ Certifications

NSA Authorization of the Radium PED



Owl Cyber Defense Solutions, LLC, headquartered in Columbia, MD, leads the industry in data diode and cross-domain network cybersecurity solutions for faster, safer and smarter decision making. We create solutions tailored for high-risk sectors including the military, government and critical infrastructure. Our advanced technologies enable secure, near-instantaneous collaboration, bridging network barriers to protect critical missions. With a focus on scalability and interoperability, Owl ensures that organizations can maintain secure, reliable, and compliant communication channels against evolving cyber threats.

For more information on Owl, or to schedule a demo, visit www.owlcyberdefense.com